INDEX TO VOLUME 26

[New names in **bold face** type]

[Prepared by HENRY W. SETZER]

A

Aenocyon, 182
Akodon (Chalcomys) aerosus, 316
arviculoides (home range), 125
nigrita (home range), 125
Alaska: Clethrionomys, 71; sea lions, 390
Alberta: black bears, 197; Mustela erminea, 75
Alopex lagopus innuitus, 229
Alouatta palliata mexicana, 358
Ammospermophilus, 185
Angulo, Juan J.: Some anatomical characters of the hutia conga, 424
Anoura geoffroyi, 126
antelope, 354
Antilocapra americana mexicana, 354
americana peninsularis, 351
Antrozous bunkeri, 309
pallidus, 196, 309
Anderson, R. M. and A. L. Rand: The varying lemming (genus Dicrostonyx) in Canada, 301
Aplodontia, 146
Arctictis binturong, 64
Arctocephalus townsendi, 351
Arizona: Pecari, 434; red-bat, 194
armadillo: animal associates, 224; appearance and behavior of young, 224; daily and seasonal movements, 219; dens and nests, 217; environmental relations, 212; feces, 220; feeding movements and probing, 222; food in captivity, 222; influence upon environment, 216; swimming, 221
Asioscalops, 413, 414
Ateles geoffroyi vellerosus, 358
geoffroyi yucatanensis, 360

B

Baiomys, 191
Balantiopteryx plicata, 352
Bassariscus sumichrasti sumichrasti, 358
bat; Bunker, 309; fertility, 27; fisherman, 1; hare-lipped, 1; hoary, 131; mating behavior, 24; pregnancy, 27; rabbit nosed night-flying, 1; sex ratio on summer range, 25; vampire, 1, 182
Bauman, John E.: Reactions of a Rhesus monkey to embalmed corpses, 437
bear: barren ground, 228; black, 353; grizzly, 353; polar, 228
beaver, 144
Berardius, 94
Bezdek, Hubert; (see Junod, Fred L.)
Bison bison americanus, 432
Blarina, 393, 394, 395, 396, 438
brevicauda (nest), 307
brevicauda brevicauda, 436
brevicauda kirtlandi, 86
brevicauda talpoides, 87, 95
bobcat, 143
Booth, Ernest S.: Account of a weasel in a tree, 439
Bourn, W. S.: (see Nelson, A. L.)
Bradypus griseus griseus, 272, 274
Brazil: home ranges of some mammals, 122
Brimley, H. H.: Kogia breviceps and Mesoplodon mirus in the neighborhood of the Oregon inlet, North Carolina, 434
British Columbia: beaked whale, 93; coyote, 33; Mustela erminea, 75
Burt, William Henry: The Bunker bat in Oklahoma, 309

C

Cagle, Fred R.: Notes on longevity in Myotis lucifugus lucifugus, 307
California: fossil rodents, 186; ground squirrel, 438; molossids, 196; pine marten, 435
Caluromys philander (home range), 122
Campbell, Berry: The hind foot musculature of some basic ungulates, 421
Canada: Dicrostonyx, 301
Canis latrans clepticus, 350
latrans mearnsi, 352
latrans microdon, 354
lupus baileyi, 353
lupus tundrarum, 229
niger rufus, 143
Capromys pilorides, 424
pilorides pilorides, 424
pilorides relictus, 424
Carribean: fisherman bats, 1
caribou (barren ground), 227

Carnivora (baculum), 146
Carollia perspicillata, 126
Castor canadensis, 144
cat (saber tooth), 182
Cervus canadensis nelsoni, 114
chipmunk (striated), 144
Chiroptera (baculum), 146
Choeropis liberiensis, 421
Citellus, 182
adocetus, 355
annulatus annulatus, 355
beecheyi, 438
beecheyi nudipes, 350
beecheyi rupinarum, 351
harrisii harrisii, 352
lateralis, 308
leucurus leucurus, 351
madrensis, 353
parryii parryii, 229
tridecemlineatus, 274
variegatus couchii, 354
Clethrionomys, 67, 68
albiventer, 69
californicus, 69
dawsoni, 67, 68, 69
dawsoni dawsoni, 70
dawsoni **glacialis**, 69, 71
dawsoni insularis, 72
dawsoni orca, 72
dawsoni **watsoni**, 73
gapperi, 68, 69, 131
gapperi carolinensis, 95
glareolus, 68
mazama, 69
obscurus, 69
phaeus, 69
rufocanus, 68, 69
rutilus, 68, 69
wrangeli, 69
Colorado: badger, 89; Citellus, 308; elk, 114; Eutamias, 308
Condylura, 412, 414, 417
Condylurinae, 414, 420
Conepatus pediculus, 356
sonoriensis, 352
Corynorhinus phyllotis, 356
rafinesquii rafinesquii, 434
Cottam, Clarence: Speed and endurance of the coyote, 94; (see Nelson, A. L.)
cottontail: Florida, 145; parasites and disease, 386; reproduction, 386
cougar, 143
Cowan, I. McT.: A beaked whale stranded on the coast of British Columbia, 93
coyote: food items, British Columbia, 34; food items, Sun River and Flathead River, Montana, 36; food items, west of Fort Peck, Montana, 37
Cratogeomys merriami, 357
Cricetodon sansaniense decedens, 188, 191
Cricetus auratus, 199
Crocidura fuliginosa, 316
Cryptomys (os clitoris), 146
Cryptoprocta (os clitoris), 146
Cryptotis alticola, 404
magna, 357
parva, 94; life history, 136
parva parva, 436
Cushing, J. E. Jr.: Quaternary rodents and lagomorphs of San Josecito Cave, Nuevo Leon, Mexico, 182
Cynognathus, 147
Cynomys mexicanus, 354

D

Dasyprocta punctata chiapensis, 359
punctata yucatanica, 360
Dasypterus ega xanthinus, 352
Dasypus novemcinctus mexicana, 211
novemcinctus texanus, 354
Davis, David E.: The home range of some Brazilian mammals, 119
Davis, W. B.: Additional records of badgers killed on highways, 89; Identity of the central Texas bear, 434; The red bat in Arizona, 194; and Lewis A. Follansbee: The Mexican volcano mouse, Neotomodon, 401; and Leonard Joeris: Notes on the life-history of the little short-tailed shrew, 136; see under Doutt, J. Kenneth
deer: white-tailed, 145, 353
Delaware: red fox, 91
Desmana, 412
Desmodus rotundus, 126
Dexter, Ralph W.: Another record of the badger as a highway casualty, 89; A Virginia deer with fifty-four tines, 310
Dice, Lee R.: Some winter foods of the cottontail in southern Michigan, 87
Dicrostonyx, 301
groenlandicus, 301, 302, 303
groenlandicus **kilangmiutak** 305
groenlandicus richardsoni, 230, 304
groenlandicus rubricatus, 304
hudsonius, 301, 302
rubricatus, 301

rubricatus richardsoni, 301
rubricatus rubricatus, 301
Didelphis marsupialis, 124; captures and recaptures, 121; home range, 122
marsupialis yucatanensis, 360
virginiana, 142, 361
Dipodomys agilis peninsularis, 351
gravipes, 350
merriami platycephalus, 351
nelsoni, 354
spectabilis perblandus, 352
spectabilis spectabilis, 354
Doutt, J. Kenneth, A. Brazier Howell and W. B. Davis: The mammal collections of North America, 231
Downing, Stuart C.: Color changes in mammal skins during preparation, 128
dugong; alimentary system, 159; central nervous system, 171; circulatory system, 163; ductless glands, 170; external anatomy, 154; position of viscera, 158; respiratory system, 162; urogenital system, 165
Dugong dugung: anatomy, 153

E

Eadie, Robert W.: The pelvic girdle of Parascalops, 94
Eaton, Theodore H. Jr.: Water shrew in Allegany State Park, New York, 194
Echidna (temperature), 274
Ecuador: fishing bat, 1
Elder, Wm. H.: Big-eared bat in Illinois, 433
Enhydra lutris nereis, 351
Eoscalops, 413, 414, 420
Eptesicus, 20, 22, 25, 28, 29
fuscus, 23, 25, 27, 32
fuscus fuscus, 15
Equus, 182
Erethizon, 185
Erignathus barbatus barbatus, 230
ermine, 175
Euarctos americanus eremicus, 356
americanus machetes, 353
Eumetopias jubata, 390
Eumops perotis californicus, 196
Eutamias, 39; feeding habits, 308
adsitus, 432
merriami meridionalis, 351
merriami obscurus, 350
minimus (color change), 130
quadrivittatus, 435
senex, 435
Evotomys alascensis, 67
[Clethrionomys] dawsoni, 67
dawsoni insularis, 67
orca, 67, 68
rutilis, 67

F

Felis cacomitli, 354
concolor, 143
concolor azteca, 353
concolor californica, 350
onca arizonensis, 355
onca goldmani, 360
onca veracrucis, 358
pardalis albescens, 354
pardalis nelsoni, 355
pardalis sonoriensis, 355
yaguaroundi tolteca, 355
Findlay, James S.: The interesting fate of a flying squirrel, 437
Fisher, Herbert J.: Notes on voles in central Missouri, 435
Florida: Bachmans shrew, 88; bison, 452
Follansbee, Lewis A.: (see Davis, William B.)
Fox: blue, 229; desert, 354; flying, 1; gray, 143; red, 143, 228; white, 229

G

Gavin, Angus: Notes on mammals observed in the Perry River district, Queen Maud Sea, 226
geomyids, 182
Glaucomys sabrinus (color change), 130
sabrinus macrotis, 437
volans, 144
volans goldmani, 359
Goldman, E. A. and Robert T. Moore: The biotic provinces of Mexico, 347
Goodwin, George C.: Specialized clay in Liomys, 308
gopher (pocket), 182
Gorilla gorilla gorilla (skeleton), 313
Gray, H.: Heart-weight and body-weight in rodents, 285
Griffin, Donald R.: Travels of banded bats, 15
Gudger, E. W.: Fisherman bats of the Caribbean region, 1
Gulo luscus luscus, 228

H

hair (monoseasonal theory of growth), 58

Hall, E. Raymond: A revised classification of the American ermines with description of a new subspecies from the western Great Lakes region, 175; Chase Littlejohn, 1854–1943; Observations by Littlejohn on hunting sea otters, 89; Four new ermines from the Pacific Northwest, 75; (see Leopold, A. Starker)
Halloran, Arthur F.: Five fetuses reported for Pecari angulatus from Arizona, 434; The type locality of Vulpes macrotis neomexicanus, 92
Hamilton, Rodgers D.: Notes on two gorilla skeletons, 313
Handley, C. O.: (see Llewellyn, Leonard M.)
Haplomylomys, 191
Hardy, Ross: The location of Briggs Meadows, Beaver Mountains, Utah, 432
hare: arctic, 230; snowshow (autumnal pelage change), 42; snowshoe (manner of pelage change), 50; snowshoe (vernal change), 43
Hawbecker, Albert C.: Activity of the Sierra pine marten, 435
Hemigalago (os clitoris), 146
Heterogeomys hispidus chiapensis, 359
hispidus tehuantepecus, 359
hispidus yucatanensis, 360
lanius, 357
Heteromys desmarestianus desmarestianus, 359
gaumeri, 360
nelsoni, 359
Hill, John Eric: Bachman's shrew from Polk County, Florida, 88
Hill, W. C. Osman: Notes on the dissection of two dugongs, 153
Hitchcock, Harold B.: Myotis subulatus leibii in Ontario, 433
Hodomys, 405
alleni alleni, 355
Hoffmeister, Donald F.: Cricetine rodents of the middle Pliocene of the Mulholland Fauna, California, 186
Howell, A. Brazier: (see Doutt, J. Kenneth)
hutia: cecum, 426; hair color, 428; ileocecal valve, 428; mammae, 426; thumb skeleton, 428
Hyperoodon rostratus, 94
Hypolagus, 186
Hystrix: (os clitoris), 146

I

Ictis: (os clitoris), 146
Idaho: Mustela erminea, 75
Idionycteris mexicanus, 356
Illinois: big-eared bat, 433; mammal dens, 307; Myotis, 307; short-tailed shrew, 307
Ingles, Lloyd G.: Observation on the tree-climbing habits of the California ground squirrel, 438; The permanence of mammal dens, 307
Insectivora: (os penis), 146
Iowa: Mustela erminea, 176

J

jackrabbit; Gaillard antelope, 354
Jellison, W. L.: A suggested homolog of the os penis or baculum of mammals, 146; Spotted skunk and fernal nutria in Montana, 432
Joeris, Leonard: (see Davis, William B.)
Junod, Fred L. and Hubert Bezdek: Pleuritis in wild skunks, 309

K

Kansas: Castoroides, 196; fossil rodents, 186
Kendeigh, S. Charles: Body temperatures of small mammals, 86
Kogia breviceps, 434
Kutz, H. L. and Ralph H. Smith: Breeding of abnormally colored meadow mice, 307

L

Lagenorhynchus electra, 195
Lasionycteris, 26
noctivigans, 23, 25, 26
Lasiurus borealis, 24, 28
cinereus (color change), 131
Laughlin, Frederic J.: Depredations of a gray squirrel, 440
Lawrence, Barbara: Brief comparison of short-tailed shrew and reptile poisons, 393
Lemming: back, 229; collared, 230, 301; fork-clawed, 301; white, 301
Lemmus trimucronatus trimucronatus, 229
Leopold, Aldo and Hans Peter Thomsen: War status of predators in Norway, 88
Leopold, A. Starker and E. Raymond Hall: Some mammals of Ozark County, Missouri, 142
Leporidae: heart-body weight, 291
Lepus arcticus andersoni, 230
americanus: color change, 130
californicus, 145
californicus xanti, 352
flavigularis, 359
gaillardi gaillardi, 354

Lewis, John B.: Frugivorous rat in Virginia, 309
Liomys, 182
annectens, 358
crispus crispus, 359
guerrerensis, 358
irroratus texensis, 354
specialized claw, 308
lion: sea, 351
Llewellyn, Leonard M. and C. O. Handley: The cottontail rabbits of Virginia, 379
Lutra: (os clitoris), 146
Lynx rufus, 143

M

McMurry, Frank B.: Three shrews, Cryptotis parva, eaten by a feral house cat, 94
Maine: gray squirrel, 440
Manitoba: Mustela erminea, 176
Marmosa agilis, 122
Marmot, 182
yellow bellied, 184
Marmota, 182
engelhardti, 432
flaviventris obscura, 184
monax, 144, 374, 130
Martes caurina, 435
Mazama sartorii pandora, 360
sartorii sartorii, 358
Megaderma, 1
Megalonychidae, 186
Meles: (os clitoris), 146
Mephitis mephitis, 143
mephitis major, 309
Mesoplodon, 94
mirus, 434
Michigan: cottontails, 87; flying squirrel, 437; Mustela erminea, 176
Michoacan; Peromyscus, 299
Microtus, 182, 230, 402
fulviventer, 358
mexicanus mexicanus, 404
mexicanus subsimus, 356
ochrogaster ochrogaster, 435, 436, 437
pennsylvanicus, 131, 307
pennsylvanicus pennsylvanicus, 436
mink, 143
Minnesota: badger, 431; Mustela erminea, 176; red squirrel, 397
Mirounga angustirostris, 351
Missouri: mole, 143; opossum, 361; voles, 435
Mogera, 413, 414, 420
mole, 143
Monodelphis americana, 122
scalops, 122
Monos Island: fisherman bats, 3
Montana: coyote, 33; feral nutria, 432; Mustela erminea, 75; spotted skunk, 432
Moore, Robert T.: (see Goldman, E. A.)
Morrison, Peter R.: Acquired homeothermism in the pregnant sloth, 272
mouse: golden harvest, 144; harvest, 182; house, 137, 145; lemming, 182; meadow, 182, 230, 404; pocket, 182, white-footed, 138, 182; wood, 144
Muridae: heart-body weight, 290
Murie, Olaus J.: Notes on coyote food habits in Montana and British Columbia, 33
Mus groenlandicus, 303
hudsonius, 302
musculus, 137, 145
musculus brevirostris, 315
musculus domesticus, 315
musculus musculus, 193, 315
musculus spicilegus, 315
musk-ox, 228
muskrat, 145
Mustela africana, 175
arctica, 228
arctica arctica, 228
arctica labiata, 228
arctica semplei, 228
cicognanii, 77
erminea, 75, 175
erminea anguinae, 79, 81, 181
erminea arctica, 179
erminea alascensis, 180
erminea **bangsi**, 176, 180
erminea celenda, 181
erminea cicognanii, 77, 176, 180
erminea fallenda, 77, 79, 81, 85, 181
erminea **gulosa**, 77, 84, 181
erminea haidarum, 181
erminea initis, 180
erminea **invicta**, 75, 79, 80, 84, 176, 180
erminea kadiacensis, 179
erminea murica, 77, 84, 181
erminea **olympica**, 81, 181
erminea polaris, 179
erminea richardsonii, 77, 79, 176, 180
erminea salva, 180
erminea seclusa, 181
erminea semplei, 179
erminea streatori, 77, 80, 81, 84, 181
frenata, 75, 143, 175
frenata effera, 439
rixosa, 175
vison, 143
Myocaster coypus, 432

Myotis, 22, 23, 25, 29
keenii septentrionalis, 15, 20, 22
lucifugus, 24, 25, 26, 27, 28, 29, 30, 31, 32, 131
lucifugus lucifugus, 15, 20, 23, 32, 307
myotis, 20
sodalis, 15
subulatus, 92
subulatus leibii, 15, 24, 25, 32, 433

N

Nannippus, 186
Napeozapus insignis, 86, 131
insignis roanensis, 96
Nasua narica narica, 358
narica molaris, 355
narica pallida, 355
narica yucatanica, 360
nelsoni, 360
Natalus mexicanus, 352
Nebraska: Say's bat, 92
Nelson, A. L., Clarence Cottam and W. S. Bourn: Red fox breeding in salt marsh, 91
Nelson, Bernard A.: The spring molt of the northern red squirrel in Minnesota, 397
Nelsonia, 405
goldmani, 357
Neotoma, 182, 405
feruginea isthmica, 359
floridana, 88
floridana attwateri, 145
floridana osagensis, 145
fuscipes macrotis, 350
lepida notia, 352
micropus micropus, 354
Neotominae, 405
Neotomodon, 186, 187, 189, 401, 405
alstoni, 357, 401
alstoni perotensis, 401
orizabae, 401
perotensis, 401
New Hampshire: Parascalops, 438
New Mexico: Vulpes macrotis, 92
New York: bats, 15; Microtus, 308; opossum, 192; Sorex, 194
Nevada: fossil rodents, 186
Noctilio, 7, 9, 10, 11
leporinus, 1, 3, 5, 6, 7, 9, 10, 14
leporinus mexicanus, 355
North Carolina: Kogia, 434; Mesoplodon, 434
North Dakota: Mustela erminea, 176
Norway: predators, 88
Nothrotherium, 182
Notiosorex gigas, 357
Nuevo Leon: badger, 89, cave fauna, 182
Nyctalus noctula, 31

O

Ochotona cinnamomea, 432
Odocoileus hemionus californicus, 350
hemionus eremicus, 352
virginianus, 145, 310
virginianus couesi, 353
virginianus miquihuanensis, 356
virginianus nelsoni, 359
virginianus oaxacensis, 358
virginianus sinaloae, 355
virginianus yucatanensis, 360
Oecomys guianae, 316
phelpsi, 316
Ohio: skunks, 309; virginia deer, 310
Oklahoma: Bunker bat, 309; Cryptotis, 94
Ondatra zibethica, 145
Ontario: Myotis, 433
Onychomys, 191
martinii, 191
opossum: breeding habits, 362; common, 122; denning, 373; food habits, 365; habitats, 376; home range; 375; masked, 122; murine, 122; parasites, 377; sex ratio, 364; winter activity, 376, wooly, 122
Oregon: coyote, 94; Tadarida mexicana, 196
Ornithorhyncus (temperature), 274
Orr, Robert T.: A study of the Clethrionomys dawsoni group of red-backed mice, 67
Orthogeomys grandis felipensis, 358
grandis guerrerensis, 355
grandis scalops, 359
Oryctolagus, 384
Oryzomys cozumelae, 360
fulvescens **engracii**, 300
guerrerensis, 358
palustris, 88
peninsulae, 352
Osgood, Wilfred H.: The type of Sciurus texianus Bachman, 441; Two new rodents from Mexico, 299
otter (sea), 351
Ovibos moschatus moschatus, 228
Ovis canadensis cremnobates, 351
canadensis gaillardi, 352
canadensis mexicana, 354

P

Panama: fishing bats, 10
Pappogeomys bulleri nayaritensis, 355

Paradoxurus hermaphroditus, 64
Parameles, 147
Parascalops, 438
breweri, 438
Parascaptor, 413, 414, 420
grandidens, 414
leucura, 414
Pecari angulatus, 434
angulatus angulatus, 354
angulatus humeralis, 355
angulatus nelsoni, 359
angulatus sonoriensis, 355
angulatus yucatanensis, 360
pelage change: factors affecting, 60; possible factors instigating, 59
Pennsylvania: wood mouse, 197
Perognathus anthonyi, 351
arenarius arenarius, 351
baileyi baileyi, 352
hispidus hispidus, 354
penicillatus pricei, 352
Peromyscus, 39, 86, 87, 131, 182, 186, 187, 191
boylii levipes, 404
gossypinus, 88
leucopus noveboracensis, 95, 138, 144, 436
maniculatus bairdii, 94, 95, 436
maniculatus gracilis, 87
maniculatus labecula, 404
maniculatus nubiterrae, 95
nuttallii, 88
melanotis, 402, 403, 404
perfulvus, 299
truei lagunae, 352
truei martirensis, 350
Perry River: mammals, 226
Phascolarctos cinereus, 274
philander opossum, 122
Phoca hispida, 230
richardii geronimensis, 351
pig (sea), 153
Pinnipedia (os penis), 146
Pipistrellus, 22, 26, 28, 29
hesperus, 28
hesperus hesperus, 352
pipistrellus, 28, 29
subflavus, 15, 20, 23, 25, 26, 27, 28, 32
subflavus subflavus, 434
Pitymys, 438
nemoralis, 145, 436
quasiater, 357
Pizonyx, 1, 12
vivesi, 352
Platygeomys fumosus, 355
gymnurus, 357
Pliohippus cf. spectans, 186
Pliotomodon primitivus, 186, 187, 188, 189
Pocock, R. I.: The perfume gland of the binturong (Arctictis), 443
Potos flavus aztecus, 358
flavus guerrerensis, 355
prairie dog (mexican), 354
Preptoceras, 182
Primates (os penis), 146
Procyon (os clitoris), 146
lotor, 143
pygmaeus, 360
Pteropus, 1
Ptyssophorus, 187
puma, 353
Putorius (os clitoris), 146

R

rabbit: brush, 183; California jack, 145; cottontail, 182, 369; dwarf, 182; pigmy, 183; swamp, 145
raccoon, 143
Rand, A. L.: (see Anderson, R. M.)
Rangifer arcticus arcticus, 227
Rapp, Janet L. C. and William F.: Resting nest of the short-tailed shrew, 307
Rapp, William F.: (see Rapp, Janet L. C.)
rat: albino, 193; banner-tailed kangaroo, 354; cotton, 136, 144, 182, 404; Florida wood, 145; Norway, 145; wood, 182
Rattus norvegicus, 145
norvegicus albinus, 193
rattus frugivorous, 309
Reed, Charles A.: Double hernia of the diaphragm accompanied by hyperplasia of the biliary system and erosion of the thoracic body wall in the domestic cat, 275
Reese, A. M.: Cyclopia, 310
Reithrodontomys, 182
chrysopsis, 403, 404
fulvescens aurantius, 144
fulvescens intermedius, 94
megalotis dychei, 436
megalotis saturatus, 404
Reynolds, Harold C.: Some aspects of the life history and ecology of the opossum in central Missouri, 361
Riese, W.: Structure and function of the brain of the opossum (Didelphis virginiana) at the time of birth, 148
Rodentia (os penis), 146; heart-body weight, 295
Romerolagus diazi, 183, 357, 404

S

Scalopinae, 414, 420
Scalopus, 412, 414
aquaticus, 192, 369, 438
aquaticus machrinoides, 143, 436
Scapanus, 414
latimanus anthonyi, 350
Schantz, Viola S.: A new badger from Wisconsin, 431; Mrs. Wallihan: A pioneer photographer of wildlife, 133
Scheffer, Victor B.: Growth and behavior of young sea lions, 390
Schorger, A. W.: The bison in Florida, 432
Schwarz, Ernst: On North American house mice, 315
Scotinomys teguina subnubilis, 359
Scottimus lophatus, 187
Sciurus, 39, 182
aberti durangi, 353
apache apache, 353
carolinensis, 130, 144
deppei vivax, 360
douglasii, 435
griseoflavus chiapensis, 359
griseus, 438
niger, 130, 144
niger ludovicianus, 442
niger neglectus, 442
poliopus effugius, 358
socialis socialis, 359
texianus, 441
yucatanensis baliolus, 360
yucatanensis yucatanensis, 360
seal: bearded, 230; elephant, 351; Guadalupe fur, 351; harbor, 351; ringed, 230
Severaid, Joye Harold: Pelage changes in the snowshoe hare (Lepus americanus struthopus Bangs), 41
Shadle, Albert R.: Rat foster mother of mice, 193
sheep: mexican bighorn, 354
shrew: water, 194
Sigmodon, 182, 402
alticola amoles, 404
hispidus, 88, 136
hispidus hispidus, 144
skunk: spotted, 143; striped, 143
sloth: ground, 182, 186
Smilodon, 182
Smith, Bertrand E.: Wildcat predation on deer, 439
Smith, Ralph H.: (see Kutz, H. L.)
Snyder, L. L.: Dayton Stoner—1883 to 1944, 111
Sorex, 86
cinereus, 95, 131
cinereus ohionensis, 197
dispar, 96
fumeus fumeus, 87, 95
longirostris, 88
ornatus lagunae, 352
ornatus ornatus, 350
palustris, 131
palustris albibarbis, 194
saussurei cristobalensis, 359
saussurei oaxacae, 358
saussurei saussurei, 404
Spilogale angustifrons tropicalis, 359
gracilis saxatilis, 432
interrupta, 143
squirrel: flying, 144; fox, 144; gray, 144, 440; ground, 130, 182; Parry ground, 229; red, 128; spring molt, 397; tree, 182
Stephens, T. C.: Say's bat in Nebraska, 92
Stockoceras conklingi, 182
Stoner, Dayton: Further remarks on the opossum in New York, 192
Story, H. Elizabeth: The external genitalia and perfume gland in Arctictis binturong, 64
Stroganov, S. U.: Morphological characters of the auditory ossicles of recent Talpidae, 412
Suncus caeruleus, 316
fuliginosus, 316
nemorivagus, 316
soccatus, 316
Surinam: fishing bats, 9
Sus scrofa, 421
Swift, Lloyd W.: A partial history of the elk herds of Colorado, 114
Sylvilagus, 182
aquaticus, 145
cunicularis cunicularis, 404
floridanus, 145, 369, 380
floridanus hitchensi, 380, 381
floridanus mallurus, 381
floridanus mearnsi, 87, 381
floridanus orizabae, 404
idahoensis, 183
insonus, 358
leonensis, 182, 183
palustris, 380
palustris palustris, 385
transitionalis, 380, 384
Symmetrodontomys, 191
Synaptomys cooperi, 182, 184
cooperi saturatus, 436

T

Taber, F. T. Wallace: Contribution on the life history and ecology of the nine-banded armadillo, 211
Tadarida cynocephala, 29
femorosacca, 196
mexicana, 196
Talpa, 412, 413, 414, 420
europaea, 412
Talpinae, 413, 420
Tamandua tetradactyla mexicana, 358
Tamaulipas: Oryzomys, 300
Tamias striatus, 130
striatus lysteri, 87
striatus venustus, 144
Tamiasciurus hudsonicus, 397
hudsonicus gymnicus, 400
hudsonicus hudsonicus, 128
hudsonicus loquax, 400
Tapirus americanus, 421
Tate, G. H. H.: A note on Crocidura fuliginosa Blyth, 316; on Oecomys phelpsi Tate, 316
Taxidea taxus, 89
taxus berlandieri, 89
taxus jacksoni, 431
taxus neglecta, 431
taxus sonoriensis, 352
taxus taxus, 431
Tayassu crusnigrum, 421
Tayra barbara senex, 358
Teanopus phenax, 355
Texas: armadillo, 211; badger, 89; bear, 434; short-tailed shrew, 136
Thomasomys macconnelli, 316
sublineatus, 125
Thomomys, 182
bottae alticola, 352
umbrinus, 402
Thomsen, Hans Peter: The winter habits of the northern white-footed mouse, 138; (see Leopold, Aldo)
Tretomys, 187
Trichechus, 173
Tylomys bullaris, 359
tumbalensis, 359

U

Urocyon cinereoargenteus ocythous, 143
Uropsilinae, 420
Urotrichinae, 419
Urotrichus talpoides, 419
Ursus (os clitoris), 146
americanus amblyceps, 434
americanus americanus, 434
arctos, 148
maritimus, 228
nelsoni, 353
Utah: Briggs Meadow, 432

V

Virginia: cottontails, 379; frugivorous rat, 309
vole: woodland, 145
Vulpes fulva, 143, 228
macrotis zinseri, 354

W

Walker, Ernest P.: Notes on the feeding habits of Citellus and Eutamias, 308; Observations on the eastern mole in captivity, 192
Washington: Mustela erminea, 75; weasel, 439
weasel, 143
arctic, 228
least, 175
long-tailed, 175
tropical, 175
West Virginia: Peromyscus, 95; wood mouse, 200
Wilson, L. Wayne: The genus Peromyscus in West Virginia, 95
Wimsatt, William A.: Notes on the breeding behavior, pregnancy, and parturition in some vespertilionid bats of the eastern United States, 23
Wisconsin: badger, 431; Mustela erminea, 176; white-footed mouse, 138
wolf, 353
dire, 182
gray, 229
red, 143
wolverine, 228
woodchuck, 144
Wright, Philip L.: Parascalops tunnel in use after eight years, 438

X

Xenomys, 405
nelsoni, 355

Z

Zalophus californianus, 351
Zapus hudsonius, 131
Ziphiidae, 93
Ziphius, 93
Zygogeomys trichopus, 357